

Ultra Thin LED Rigid Strip SMD 3528 120 Leds PCB Material CE / RoHS Approval


Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 50
- Packaging Details:
- Payment Terms:
- Supply Ability:
- CE ROHS EMS LVD SL-LUL1 500meter 110*20cm,500pcs/ctn

Shenzhen China

Sunled

- L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Ability: 5000m/week



Product Specification

- Products Name:
- Material:
- Power:
- Voltage:
- Color:
- Led QTY:
- 0 l ... T
- Color Tempratrue:
- Wrranty:
- Highlight:

Led Ultra-thin Rigid Light
PCB
15W
Dc12v
White
120led/m
2600-7500k
2 Voor Worronty

2 Year Warranty

led rigid strip light bars, solid led light strip



Product Description

Ultra-thin SMD 3528 LED rigid strip CE and RoHS approval 120leds

Key Specifications

They operations
1.Cuttable,3Leds per unit, cut along cut-edge,And easy to connect by relevant connectors
2. Flexible, bend randomly according requirements.
3. Dimmable Brightness and changeable color as you like
4. Easy to install with 3M Self-adhesive or matched mounting clip
5. Small size, easy to used in narrow place
6. Indoor and ourdoor light
7.Safe application at DC12V/24v
8.Long life span of 5000hours
9.Average light distribution,No flickering,No humming

Application:

1.Building decoration lighting in narrow ceiling, cabinet, stairs

2. Backlighting in Signage, Channel letters, light box, signboard

3. Glass art, theater, media rooms lighting

4. Marine, Poor light, Garden decoration light

5. Archway, canopy and bridge edge lighting

6. Shopping mall, restaurant, hotel, meeting room

and advertisement lighting and decoration

High Lumens Epistar SMD2835 LED,Long lifespan and high brightness,High intensity and reliability, strong enough to stand heavy pressure,All of our led strip lights are use the high quality tin or tin paste to guarantee our Goods to be most stable and reaching CE, Rohs, UL,PSE,SAA...certification standard,the PCB board were made by Double-side FR-4 PCB, that's good for heat dissipation and increase led's life span,Can be cut off on marked place and connectable with suited accessory, cut on the mid of the two welding spots

