

Flex LED Strips sets Type and 5050 SMD LEDs Light Source **RGB**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
 - Packaging Details:
 - Delivery Time:

 - Supply Ability:

SLMCF006 200set 5.3usd/set

China

SUNLED

CE ROHS

- 60*44*30 20pcs/cartons
- Payment Terms:

7-15workdays T/T, Western Union, Western Union, MoneyGram, D/P, D/A

50000sets



Product Specification

- Product Name:
- Voltage:
- Power:
- IP Rating:
- . Led Chip:
- Color:
- Warranty: • Highlight:
- flexible adhesive led strip lights, flexible waterproof led strip

RGB Led Strip Kits

Dc12v 14.4w/m

IP65

5050 Smd RGB

3years



More Images



Our Product Introduction

RGB smd 5050 led strip kit with 24keys music controller dc12v 300leds

Specification

Leds: 60pcs/meter, 300leds/pcs Voltage: DC24V Power: 14.4W/meter Color:RGB Color Chip: SMD5050 Waterproof: IP65 waterproof PCB: white color Specification for LED Music Controller:

- 1. Operating temperature: -20 to +45 degreen
- 2. Working voltage: 12-24V DC adapter or battery
- 3. Output: 3 channels (RGB)
- 4. Control variant: common anode
- 5. Sound control:> 70dB
- 6. Output current: max.9A


Installation of LED Strip RGB 5050 light 60LED/M:

- 1. The black of strip stick with 3M tape. Only need to rive the face paper on 3M tape when use.
- 2. Stick the strip anywhere 3M tape easy to fix.
- 3. When install strips, it can be cut at the marks of scissors according to length.
- 4. Fix the strips with screw of clip lock.
- 5. Connecting two segments with different connectors.

Application of SMD 5050RGB Constant Voltage LED Strip Light 60LED/M:

- 1). Cove lighting
- 2). Architectural lights for canopy, corridor, window, archway
- 3). Backlight or edge lighting for signage
- 4). DIY lights for home use
- 5). Path and contour marking
- 6). Decorative lights for holiday, event, show, exhibition
- 7). Special light effect for art gallery and glass-made items

| Product Name | RGB LED strip kits |
|---------------|--------------------|
| SMD Type | 5050 SMD |
| LED Qty/m | 60LED/m |
| Input Voltage | DC 12V |
| Max Power | 14.4W/m |
| FPCB Color | White |
| PCB Width | 10MM |



2F, Building 3, Ruibang Industrial , No.8 Laocun Road, Tangtou, Shiyan, Bao'an District, Shenzhen, Guangdong, China