

SHENZHEN YSENLED LIGHTING CO., LTD

Guangdon, china

SI2020100900

500 1000 2000

7-15days

MoneyGram

\$2.4,\$1.66,\$0.92

Ce, EMC, LVD, RoHS

0.300 kg Package Type: packing:120\*14\*14cm

Selling Units: Single item Single package

size: 110X10X5 cm Single gross weight:

L/C, D/A, D/P, T/T, Western Union,

Sunled

# **Basic Information**

led-stripslights.com

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- r aymont ronno.

# **Product Specification**

# • Type:

- Working Lifetime:
- Smd:
- Lamp Body Material:
- Warranty:
- . Led Quantity:
- Input Voltage:
- Ip Bank:
- Beam Angle:
- Pcb Color:
- Highlight:

Rigid Light Strip	
50000	
5630	
Aluminum	
2year	
72leds/M	
220v	
lp65	
120degree	
White Pcb	
72led/M Rigid LED Strip Lights, Ip65 Ac220v Rigid LED Strip Lights,	

Ac220v Ip65 Rigid LED Strip Lights



# More Images



for more products please visit us on led-stripslights.com

# **Product Description**

# Ip65 120 Degree Ac220v 72led/M Rigid LED Strip Lights

## Specification of rigid led strip

Light color	white/warm white/yellow
Temperature	6000-6500k
voltage	220v
working temperature	-35-45
Application	jewelry/showcase/display
The size	99*12
Iterm type	light strip
CRI	80
Smd	5630/5730/2835

## Description of rigid led strip

- 1. Product Name:5730 LED Rigid Strip
- 2. Color Tempreture:3000-3500K(Warm White), 5500-6000K(White), 6500-7000K(Cool White)
- 3. Voltage:DC12V
- 4. Size: 500mm x 18mm x 15 mm



Feature of rigid led strip

- 1. Super bright 5730 SMD LED, high intensity and reliability.
- 2. Long life span 50,000 hours.
- 3. Suitable for DIY; own assembly; or direct use.
- 4. A group of three LEDs; can be cut.
- 5. Easy to install.
- 6. Factory direct sales; welcome customized length

Application of rigid led strip

- 1. Ideal for decoration of building outlines, landscape illumination, amusement themes.
- 2. Holiday light sculpture, decorative figure, active signs, displays, shop windows.
- 3. Storefronts, bar, nightclub, street, sidewalk, deck, park, porch, staircase, railing, ceiling, or driveway.

## Our team

Our company is located in shenzhen city, guangdon province in china. Intergreting the reseach, production, marketing and service of led product.Our product mainly including,led flexible strips,led floodlight,led high bay light,led streetlight,led tubes,led downlight and led panel light.

Our Product Introduction

## Q1. Can I have a sample order for led light?

A: Yes, we welcome sample order to test and check quality. Mixed samples are acceptable.

#### Q2. What about the lead time?

A:Sample needs 3-5 days, mass production time needs 1-2 weeks for order quantity more than

### Q3. Do you have any MOQ limit for led light order?

A: Low MOQ, 1pc for sample checking is available

#### Q4. How do you ship the goods and how long does it take to arrive?

A: We usually ship by DHL, UPS, FedEx or TNT. It usually takes 3-5 days to arrive. Airline and sea shipping also optional.

#### Q5. How to proceed an order for led light?

A: Firstly let us know your requirements or application. Secondly We quote according to your requirements or our suggestions. Thirdly customer confirms the samples and places deposit for formal order. Fourthly We arrange the production.

#### Q6. Is it OK to print my logo on led light product?

A: Yes. Please inform us formally before our production and confirm the design firstly based on our sample.

#### Q7: Do you offer guarantee for the products?

A: Yes, we offer 2-5 years warranty to our products.

#### Q8: How to deal with the faulty?

A: Firstly, Our products are produced in strict quality control system and the defective rate will be less than 0.2%.

Secondly, during the guarantee period, we will send new lights with new order for small quantity. For defective batch products, we will repair them and resend them to you or we can discuss the solution i ncluding re-call according to real situation.

SHENZHEN YSENLED LIGHTING CO.,LTD

Image: Constraint of the strip stript of the stript of th